



Lincomycin Spectinomycin 100 Soluble Powder

INGREDIENT(S):

lincomycin hydrochloride, spectinomycin

USE:

Chronic respiratory disease/infectious sinusitis, control/prevention

SPECIES:

Chickens

ROA:

dw

DOSE:

1 jar/120 L drinking water (833 mg antibiotic activity/L).

Automatic medicators: Set to deliver 7.8 mL stock solution/L drinking water. Stock solution: 1 jar/0.9 L.

To prevent losses due to CRD, administer for first 3-5d of life and again for 1-2d at ~4 weeks of age.

WITHDRAWAL TIME:

Meat: 3d

WT NOTES:

This product must not be used in laying birds.

USE:

Chronic respiratory disease/infectious sinusitis, treatment

SPECIES:

Chickens

ROA:

dw

DOSE:

1 jar/120 L drinking water (833 mg antibiotic activity/L).

Automatic medicators: Set to deliver 7.8 mL stock solution/L drinking water. Stock solution: 1 jar/0.9 L.

Use as sole source of drinking water for 5-7d.

WITHDRAWAL TIME:

Meat: 3d

WT NOTES:

This product must not be used in laying birds.

USE:

Swine dysentery, treatment

SPECIES:

Swine

ROA:

dw

DOSE:

1 jar/1,500 L drinking water (67 mg antibiotic activity/L).

Automatic medicators: Set to deliver 7.8 mL stock solution/L drinking water. Stock solution: 1 jar/11.7 L.

Use as sole source of drinking water for 4-7d.

WITHDRAWAL TIME:

Meat: 5d