

**SECTION 1 Identification****1.1. GHS Product identifier**

Product form : Mixture  
Trade name : Chlor 50

**1.2. Other means of identification**

Other means of identification : Registered product - DIN 00641804

**1.3. Recommended use of the chemical and restrictions on use**

Recommended use : Medicated feed additive  
Restrictions on use : For veterinary use only

**1.4. Supplier's details**

Bio Agri Mix LP  
P.O. Box 399  
Mitchell, ON, N0K 1N0  
Canada  
T 519-348-9865

**1.5. Emergency phone number**

Emergency number : CANUTEC: 1-613-996-6666 (transport)

**SECTION 2 Hazard identification****2.1. Classification of the substance or mixture****Classification (GHS CA)**

Skin corrosion/irritation, Category 2 Causes skin irritation.  
Serious eye damage/eye irritation, Category 2 Causes serious eye irritation.

**2.2. GHS label elements, including precautionary statements****GHS CA labelling**

Hazard pictograms (GHS CA) :



Signal word (GHS CA) : Warning

Hazard statements (GHS CA) : Causes skin irritation  
Causes serious eye irritation

Precautionary statements (GHS CA) : Wash hands, forearms and face thoroughly after handling.  
Wear eye protection, face protection, protective gloves.  
IF ON SKIN: Wash with plenty of water.  
Specific treatment (see supplemental first aid instruction on this label).  
If skin irritation occurs: Get medical advice or attention.  
Take off contaminated clothing and wash it before reuse.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice or attention.

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

Supplementary information

Dispose of contents and/or container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulations.

: Exempt - Registered product - (DIN 00641804).

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood.

### 2.3. Other hazards which do not result in classification

No additional information available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Chemical name / Synonyms	Product identifier	%
Chlorotetracycline hydrochloride	Chlorotetracycline hydrochloride / Tetracycline hydrochloride, chloro- / 2-Naphthacenecarboxamide, 7-chloro-4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-, monohydrochloride / 2-Naphthacenecarboxamide, 7-chloro-4-(dimethylamino)-1,4,4a,5,5a,6,11,12a-octahydro-3,6,10,12,12a-pentahydroxy-6-methyl-1,11-dioxo-, monohydrochloride, (4S,4aS,5aS,6S,12aS)-	CAS-No.: 64-72-2	11
Paraffin oils	Liquid paraffin / Mineral oil / Mineral oil, white / Paraffin oil / White mineral oil / Paraffin / KZ oil / Oil mist, refined mineral / PARAFFINUM LIQUIDUM / Cutting oils	CAS-No.: 8012-95-1	3.5

Comments

: CANADA GHS: The exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the amended HPR as of December 2022.

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

### SECTION 4 First-aid measures

#### 4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice or attention. Take off contaminated clothing and wash it before reuse.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.
First-aid measures after ingestion	: Do not induce vomiting. If vomiting occurs have person lean forward. Never give anything by mouth to an unconscious person. Call a poison center or a doctor if you feel unwell.
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible). Medical personnel should be made aware of substance(s) involved and take measures for self protection. Show this safety data sheet to the doctor in attendance. Avoid contact with skin and eyes. Keep out of the reach of children.

#### 4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after inhalation	: Prolonged inhalation may be harmful.
Symptoms/effects after skin contact	: Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.
Symptoms/effects after eye contact	: Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.
Symptoms/effects after ingestion	: May cause stomach distress, nausea or vomiting.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Symptoms may be delayed. Treat symptomatically.
-----------------------------------	---

### SECTION 5 Fire-fighting measures

#### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Treat for surrounding material.
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.

#### 5.2. Specific hazards arising from the chemical

Fire hazard	: During fire, gases hazardous to health may be formed. In case of fire or explosion do not breathe fumes.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: May include and are not limited to: oxides of carbon. Nitrogen oxides. Sulphur oxides. Hydrogen chloride.

#### 5.3. Special protective actions for fire-fighters

Firefighting instructions	: In case of fire: stop leak if safe to do so. Do not enter fire area without proper protective equipment, including respiratory protection. Move containers from fire area if it can be done without personal risk.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

### SECTION 6 Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: In the event of a significant spillage : Notify authorities if product enters sewers or public waters. Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
------------------	--

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

Environmental precautions : Avoid release to the environment.

### 6.2. Methods and materials for containment and cleaning up

For containment : Stop leaks if it can be done without personal risk. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for cleaning up : Soak up with inert absorbent material (for example sand, sawdust, a universal binder, silica gel). Take up mechanically (sweeping, shovelling) and collect in suitable container for disposal. Clean contaminated surfaces with an excess of water. Minimise generation of dust.

Other information : This material and its container must be disposed of in a safe way, and as per local legislation.

For further information refer to section 13

## SECTION 7 Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling : Avoid contact with skin and eyes. Avoid breathing dust. Do not taste or swallow. Ensure good ventilation of the work station. Wear personal protective equipment. Handle and open container with care.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Take off contaminated clothing and wash it before reuse.

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep out of reach of children. Store tightly closed in a dry, cool and well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

Packaging materials : Store always product in container of same material as original container.

## SECTION 8 Exposure controls/personal protection

### 8.1. Control parameters

Paraffin oils (8012-95-1)	
<b>Canada (Alberta) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
<b>Canada (Quebec) - Occupational Exposure Limits</b>	
VECD (OEL STEV)	10 mg/m <sup>3</sup> (mist)
VEMP (OEL TWA EV)	5 mg/m <sup>3</sup> (mist)
<b>Canada (British Columbia) - Occupational Exposure Limits</b>	
OEL TWA	0.2 mg/m <sup>3</sup> (mildly refined) 1 mg/m <sup>3</sup> (severely refined)
<b>Canada (Manitoba) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable particulate matter)
<b>Canada (New Brunswick) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable fraction)

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

<b>Paraffin oils (8012-95-1)</b>	
<b>Canada (Newfoundland and Labrador) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable particulate matter)
<b>Canada (Nova Scotia) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable particulate matter)
<b>Canada (Nunavut) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Regulatory reference	Occupational Health and Safety Regulations, Nu Reg 003-2016 (Amendment R-044-2021)
<b>Canada (Northwest Territories) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Regulatory reference	Occupation Health and Safety Regulations R-039-2015 (R-090-2024)
<b>Canada (Ontario) - Occupational Exposure Limits</b>	
OEL TWAEV	5 mg/m <sup>3</sup> (pure, highly and severely refined, excluding metal working fluids-inhalable particulate matter)
Regulatory reference	Ontario Occupational Exposure Limits under Regulation 833
<b>Canada (Prince Edward Island) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup> (excluding metal working fluids, highly & severely refined-inhalable particulate matter)
<b>Canada (Saskatchewan) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>
Regulatory reference	The Occupational Health and Safety Regulations, 2020. Chapter S-15.1 Reg 10
<b>Canada (Yukon) - Occupational Exposure Limits</b>	
OEL TWA	5 mg/m <sup>3</sup>
OEL STEL	10 mg/m <sup>3</sup>

### 8.2. Appropriate engineering controls

Appropriate engineering controls	: Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.
Environmental exposure controls	: Avoid release to the environment.

### 8.3. Individual protection measures, such as personal protective equipment (PPE)

<b>Hand protection:</b>
Wear protective gloves. Confirm with a reputable supplier first.
<b>Eye protection:</b>
Wear safety glasses with side shields (or goggles).

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

### Skin and body protection:

Wear suitable protective clothing. As required by employer code.

### Respiratory protection:

Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.

Respirator should be selected by and used under the direction of a trained health and safety professional following requirements found in OSHA's respirator standard (29 CFR 1910.134), CAN/CSA-Z94.4 and ANSI's standard for respiratory protection (Z88.2).

## SECTION 9 Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Granular.
Colour	: Grey - Brown
Odour	: No data available
Odour threshold	: No data available
pH	: 5 – 7 (5%)
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 0.64 @ 21°C
Solubility	: Water: Low
Partition coefficient n-octanol/water (Log Pow)	: No data available
Viscosity, kinematic	: Not applicable
Explosive properties	: Not explosive.
Oxidising properties	: Not oxidising.
Explosive limits	: Not applicable
Particle characteristics	: No data available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

## SECTION 10 Stability and reactivity

Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No dangerous reactions known under normal conditions of use.
Conditions to avoid	: Keep away from heat and direct sunlight. Do not mix with other chemicals.
Incompatible materials	: Acids. Oxidizer. Caustic. Strong oxidizing agents.
Hazardous decomposition products	: May include and are not limited to: oxides of carbon. Nitrogen oxides. Sulfur oxide. hydrogen chloride.

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

### SECTION 11 Toxicological information

#### 11.1. Likely routes of exposure

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

Chlor 50	
Unknown acute toxicity (GHS CA)	Not applicable.
Paraffin oils (8012-95-1)	
LD50 oral rat	> 24 g/kg (Source: NLM_CIP)
LD50 dermal rabbit	> 2000 mg/kg
LC50 Inhalation - Rat [ppm]	2062 ppm/4h

Skin corrosion/irritation : Causes skin irritation.  
pH: 5 – 7 (5%)  
Serious eye damage/irritation : Causes serious eye irritation.  
pH: 5 – 7 (5%)  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified  
Likely routes of exposure : Skin and eyes contact. Ingestion. Inhalation.  
Symptoms/effects after inhalation : Prolonged inhalation may be harmful.  
Symptoms/effects after skin contact : Causes skin irritation. Symptoms may include redness, edema, drying, defatting and cracking of the skin.  
Symptoms/effects after eye contact : Causes serious eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision.  
Symptoms/effects after ingestion : May cause stomach distress, nausea or vomiting.

### SECTION 12 Ecological information

#### 12.1. Toxicity

Ecology - general : See below for route-specific details.  
Hazardous to the aquatic environment, short-term (acute) : Not classified.  
Hazardous to the aquatic environment, long-term (chronic) : Not classified.

#### 12.2. Persistence and degradability

Chlor 50	
Persistence and degradability	Rapidly degradable
Chlorotetracycline hydrochloride (64-72-2)	
Persistence and degradability	Rapidly degradable
Paraffin oils (8012-95-1)	
Persistence and degradability	Rapidly degradable

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

### 12.3. Bioaccumulative potential

No additional information available

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Ozone : Not classified

Fluorinated greenhouse gases : No

## SECTION 13 Disposal considerations

Waste treatment methods : Dispose of the material collected according to regulations.  
Sewage disposal recommendations : Disposal must be done according to official regulations.  
Product/Packaging disposal recommendations : Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling, disposal or collection.

## SECTION 14 Transport information

In accordance with TDG

	TDG
<b>14.1. UN Number</b>	Not regulated
<b>14.2. UN Proper Shipping Name</b>	Not regulated
<b>14.3. Transport hazard class(es)</b>	Not regulated
<b>14.4. Packing group, if applicable</b>	Not regulated
<b>14.5. Environmental hazards</b>	Not regulated
No supplementary information available	

### 14.6. Special precautions for user

TDG  
Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78<sup>9</sup> and the IBC Code<sup>10</sup>

Not applicable

## SECTION 15 Regulatory information

All components of this product are present on DSL

# Chlor 50

## Safety Data Sheet

According to SOR/2015-17, Hazardous Products Regulations (HPR) (amended 2022)

### SECTION 16 Other Information

Issue date : 09/23/2025

Other information : . VETERINARY USE ONLY

ANTIBIOTIC

WARNINGS: 1. Treated animals must not be slaughtered for use in food for at least 7 days for swine and 5 days for cattle after the latest treatment with this drug. 2. Do not administer to lactating dairy cattle. 3. When handling the product, avoid inhalation, oral exposure, and direct contact with skin or eyes. 4. Keep out of reach of children.

STORAGE: Store in a cool dry place below 25°C. Keep from freezing.

Exempt - Registered product - (DIN 00641804).

This product is not subject to the Hazardous Products Act (HPA) Part II (Hazardous Products) as per paragraph 12(j); Schedule 1 (Non-Application of Part II).

This restriction states that Part II does not apply in respect of the sale or importation of anything listed in Schedule 1 which includes any pest control product as defined in subsection 2(1) of the Pest Control Products Act, any explosive as defined in section 2 of the Explosives Act, any cosmetic, device, drug or food, as defined in section 2 of the Food and Drugs Act, any consumer product as defined in section 2 of the Canada Consumer Product Safety Act and any wood or product made of wood. For an updated SDS, please contact the supplier or manufacturer listed on the first page of the document.

The information in the safety data sheet was written by Dell Tech Laboratories Ltd. ([www.delltech.com](http://www.delltech.com)) based on the best knowledge and experience currently available. Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.